

Cigna Arkansas Prior Authorization Report for 01012018 - 03312018

Ordering Provider Type/Specialty	Diagnosis	Service	Status	Reason for Denial
	M79.675		Partially Denied	Medical Director Review
	M54.13		Partially Denied	Medical Director Review
	M72.2		Partially Denied	Medical Director Review
	M25.512		Partially Denied	Medical Director Review
	S82.035D		Partially Denied	Medical Director Review
	M25.551		Partially Denied	Medical Director Review
	S46.111D		Partially Denied	Medical Director Review
	M79.1		Partially Denied	Medical Director Review
	M25.552		Approved	
	M79.1		Partially Denied	Medical Director Review
	M76.821		Partially Denied	Medical Director Review
	M72.2		Approved	
	M76.821		Approved	
	M54.12		Approved	
	M72.2		Approved	
	M54.12		Approved	
	S46.111D		Approved	
	S46.111D		Approved	
	M99.03		Partially Denied	Medical Director Review
	M99.04		Partially Denied	Medical Director Review
	M99.01		Partially Denied	Medical Director Review
	M99.02		Partially Denied	Medical Director Review
	M54.12		Partially Denied	Medical Director Review
	M99.01		Partially Denied	Medical Director Review
	M99.01		Approved	
	M54.2		Partially Denied	Medical Director Review

	M54.11		Partially Denied	Medical Director Review
	M25.521		Denied	Medical Director Review
	m25.562		Approved	
	M54.2		Denied	Medical Director Review
	M46.01		Denied	Medical Director Review
	m99.01		Approved	
	M54.12		Denied	Medical Director Review
	M51.36		Approved	
	M46.01		Denied	Medical Director Review
	M54.13		Approved	
	M54.17		Partially Denied	Medical Director Review
	M62.830		Approved	
	m99.04		Partially Denied	Medical Director Review
	m50.30		Partially Denied	Medical Director Review
	M99.01		Denied	Medical Director Review
	M99.01		Denied	Medical Director Review
	M99.01		Denied	Medical Director Review
	m99.04		Denied	Medical Director Review
	m51.34		Partially Denied	Medical Director Review
	M54.16		Partially Denied	Medical Director Review
	C20	SPORT	Approved	
	C34.90	CHEMO	Approved	
	C21.0	CHEMO	Approved	
	C50.912	SPORT	Approved	
	C34.02	RCNSCL	Approved	
	C21.0	RCANAL	Approved	
Facility	F33.2	ON*MH*RES	Denied	Not meeting Medical Necessity
Facility	F32.9	IN*MH*IP	Approved	
Facility	F32.9	IN*MH*IP	Approved	
Facility	F32.9	IN*MH*IP	Approved	
Facility	F02.81	IN*MH*IP	Approved	
Facility	F02.81	IN*MH*IP	Approved	
Facility	F02.81	IN*MH*IP	Approved	
Facility	F02.81	IN*MH*IP	Approved	
Facility	F02.85	IN*MH*IP	Denied	Not meeting Medical Necessity
Facility	F33.2	IN*MH*IP	Approved	
Facility	F33.2	IN*MH*IP	Approved	
Facility	F33.2	IN*MH*IP	Approved	
Facility	F33.2	IN*MH*IP	Approved	
Facility	F33.2	IN*MH*IP	Approved	
Facility	F31.9	IN*MH*IP	Approved	

Facility	F31.9	IN*MH*IP	Approved	
Facility	F31.9	IN*MH*IP	Approved	
Facility	F33.2	IN*MH*IP	Approved	
Facility	F31.9	IN*MH*IP	Approved	
Facility	F31.9	IN*MH*IP	Approved	
Facility	F31.9	IN*MH*IP	Approved	
Facility	F32.2	IN*MH*IP	Approved	
Facility	F32.2	IN*MH*IP	Approved	
Facility	F32.2	IN*MH*IP	Approved	
Facility	F32.9	912	Approved	
Facility	F32.9	912	Approved	
Facility	F84.0	90834	Denied	Administrative Denial for Lack of Benefits
Facility	F33.1	IN*MH*OPH	Approved	
Facility	F33.2	IN*MH*OPH	Approved	
Facility	F33.3	IN*MH*OPH	Approved	
Facility	F33.4	IN*MH*OPH	Approved	
Facility	F33.5	IN*MH*OPH	Approved	
Facility	F34.81	905	Approved	
Facility	F34.81	905	Approved	
Facility	F33.2	IN*MH*IP	Approved	
Facility	F33.2	IN*MH*IP	Approved	
Facility	F84.0	0368T	Approved	
PhD	R69	96101	Denied	Administrative Denial for Single Case Agreement
PhD	R69	90837	Denied	Administrative Denial for Single Case Agreement
	G47.30	95806	Approved	
	G47.33	95811	Approved	
	I10	95811	Denied	Medical Director Review
	G47.33	95811	Denied	Medical Director Review
	G47.00	95811	Approved	
	E10.9	E0784	Approved	
	G47.30	G0399	Approved	
	G47.33	95811	Denied	Medical Director Review
	G47.33	95810	Approved	Approved
	G47.33	95810	Denied	Denied by Medical Director Review
	G47.33	95800	Denied	Denied by Medical Director Review
	G47.33	G0399	Approved	Approved
	G47.13	95800	Approved	Approved
	G47.33	G0399	Approved	Approved
	R06.83	95806	Approved	Approved
	R06.83	G0399	Approved	Approved
	G47.33	95806	Approved	Approved
	G47.33	95800	Approved	Approved

	G47.33	95811	Denied	Denied by Medical Director Review
	G47.33	95810	Denied	Denied by Medical Director Review
	G47.33	G0399	Approved	Approved
	G47.30	95806	Approved	Approved
	G47.33	95811	Denied	Denied by Medical Director Review
	R06.83	95810	Approved	Approved
	E11.9	E0784	Approved	Approved
	G47.34	95811	Denied	Denied by Medical Director Review
	G47.30	95811	Denied	Denied by Medical Director Review
	G47.33	95800	Approved	Approved
	G47.33	G0399	Approved	Approved
	G47.13	95800	Approved	Approved
	G47.33	95811	Denied	Denied by Medical Director Review
	E10.65	E0784	Approved	Approved
	G47.33	95811	Denied	Denied by Medical Director Review
	G47.33	95800	Approved	Approved
	G47.33	95811	Denied	Denied by Medical Director Review
	R40.0	G0399	Approved	Approved
	G47.33	95811	Approved	Approved
	G47.13	95800	Approved	Approved
	G47.33	95800	Denied	Denied by Medical Director Review
	G47.33	95811	Approved	Approved
	G47.30	95810	Denied	Denied by Medical Director Review
	G47.33	95806	Approved	Approved
	G47.33	95811	Approved	Approved
	G47.33	95806	Approved	Approved
	G47.30	95806	Approved	Approved
	G47.33	95810	Denied	Denied by Medical Director Review
Facility	15830	5393925	Denied	DENIED - NONCOVERED BENEFIT
Facility	41899	0884793	Approved	
Facility	95810	0884793	Approved	
Facility	J1745	0884793	Approved	
Facility	19300	0553551	Approved	
Facility	29873	2349852	Approved	
Facility	29873	2349852	Denied	DENIED MED REVIEW LIST IC

Facility	64483	2349852	Approved	
Facility	22846	8706763	Approved	
Facility	C1822	8706763	Approved	
Facility	19355	9987349	Approved	
Facility	20902	9987349	Approved	
Facility	15777	2450391	Approved	
Facility	19318	0885990	Approved	
Facility	MEDI	0885990	Approved	
MD	81401	4328107	Approved	
Facility	15823	7015224	Approved	
MD	64635	7307877	Approved	
Facility	95800	0502972	Approved	
Facility	95806	0502972	Approved	
Facility	95810	0502972	Approved	
Facility	95811	0502972	Approved	
Facility	E0118	0502972	Denied	DENIED - BY MEDICAL DIRECTOR REVIEW
Facility	E0601	0502972	Approved	
Facility	G0399	0502972	Approved	
Facility	81211	4727295	Denied	DENIED - RETROACTIVE REFERRAL
MD	J9267	8078532	Approved	
Facility	64635	0883932	Approved	
MD	S9988	6067273	Approved	
Facility	62321	0886914	Approved	
Facility	64490	0886914	Approved	
Facility	64490	0886914	Denied	DENIED MEMBER HELD HARMLESS - CHC
MD	64635	4200296	Approved	
MD	J3490	0881020	Denied	DENIED - RETROACTIVE REFERRAL
Facility	MDRC	2282701	Approved	
Facility	MDRC	0842268	Approved	
MD	27096	2372974	Denied	DENIED MED REVIEW LIST IC
MD	21127	1642669	Denied	DENIED MED REVIEW LIST IC
MD	62323	4842070	Approved	
Facility	33800	0701988	Approved	
MD	J1439	1526050	Approved	
MD	62323	2603270	Denied	DENIED MED REVIEW LIST IC
MD	64483	2603270	Approved	
Facility	15777	0702030	Approved	
Facility	19303	0702030	Approved	
Facility	38571	0702030	Approved	
Facility	56632	0702030	Approved	
Facility	63030	0702030	Approved	
Facility	SURC	0702030	Approved	

DDS	21210	7943482	Denied	DENIED - NONCOVERED BENEFIT
MD	J7325	2667133	Approved	
Facility	95806	4340680	Approved	
Facility	95811	4340680	Approved	
Facility	G0399	4340680	Approved	
Facility	15823	3527421	Approved	
Facility	15823	3527421	Denied	DENIED - NONCOVERED BENEFIT
Facility	19303	3527421	Approved	
Facility	19318	3527421	Denied	DENIED MED REVIEW LIST IC
Facility	19357	3527421	Approved	
Facility	23120	3527421	Approved	
Facility	27570	3527421	Approved	
Facility	29824	3527421	Approved	
Facility	29888	3527421	Approved	
Facility	33249	3527421	Approved	
Facility	34845	3527421	Approved	
Facility	43775	3527421	Approved	
Facility	54161	3527421	Approved	
Facility	63042	3527421	Approved	
Facility	63047	3527421	Approved	
Facility	G0422	3527421	Approved	
Facility	MDRC	3527421	Approved	
Facility	MDRC	3527421	Denied	DENIED MED REVIEW LIST IC
Facility	MEDI	3527421	Approved	
Facility	SURC	3527421	Approved	
Facility	29877	4652182	Approved	
Facility	64483	1390353	Approved	
Facility	64483	1390353	Denied	DENIED MEMBER HELD HARMLESS/DELAY IN TREATMENT
Facility	23700	2187515	Approved	
Facility	29822	2187515	Denied	DENIED MED REVIEW LIST IC
Facility	29879	2187515	Approved	
Facility	29884	2187515	Approved	
Facility	29888	2187515	Approved	
MD	36471	2918650	Approved	
Facility	MDRC	0702303	Approved	
MD	J9035	2220022	Approved	
Facility	95806	2714221	Approved	
Facility	95806	1237853	Approved	
Facility	15777	3599948	Approved	
Facility	19303	3599948	Approved	
Facility	19318	3599948	Approved	
Facility	43644	3599948	Approved	
Facility	49321	3599948	Approved	

Facility	70553	3599948	Approved	
Facility	G0299	3599948	Approved	
Facility	J2505	2860168	Approved	
Facility	MEDI	3599948	Approved	
Facility	SURC	3599948	Approved	
Facility	22845	5334477	Approved	
Facility	L8642	4811510	Approved	
Facility	67904	0811628	Approved	
Facility	J2323	6400852	Approved	
MD	91200	5175843	Approved	
Facility	49020	0886137	Approved	
Facility	25575	0886557	Approved	
Facility	29881	0886557	Approved	
Facility	19380	0885528	Approved	
Facility	27324	0885528	Approved	
Facility	38241	0885528	Approved	
Facility	21110	0700665	Denied	DENIED - NONCOVERED BENEFIT
Facility	69930	5128300	Approved	
MD	J1459	4824958	Approved	
MD	27096	6185843	Approved	
MD	27096	6185843	Denied	DENIED MED REVIEW LIST IC
MD	62321	6185843	Approved	
MD	62321	6185843	Denied	DENIED MED REVIEW LIST IC
MD	62323	6185843	Approved	
MD	64483	6185843	Approved	
MD	64493	6185843	Approved	
MD	64635	6185843	Approved	
MD	64635	6185843	Denied	DENIED MED REVIEW LIST IC
Facility	29873	0883638	Denied	DENIED MEMBER HELD HARMLESS/FAILURE TO PRECERTIFY
	M25.569	73721	Denied	Denied by Medical Director Review
	M25.562	73721	Approved	Approved
	M54.12	72141	Approved	Approved after Medical Director Review
	M54.16	62323	Denied	Denied by Medical Director Review
	I25.10	93458	Approved	Approved after Medical Director Review
	S83.511A	29888	Approved	Approved after Medical Director Review
	M25.579	73721	Approved	Approved after Nurse Review
	I25.10	93459	Approved	Approved after Medical Director Review

R55	70450	Denied	Denied by Medical Director Review
C34.90	78815	Denied	Denied by Medical Director Review
M05.79	73218	Denied	Denied by Medical Director Review
M54.2	72158	Denied	Denied by Medical Director Review
M54.5	72148	Denied	Denied by Medical Director Review
M25.562	73721	Denied	Denied by Medical Director Review
M54.16	72148	Approved	Approved
R10.2	74178	Approved	Approved
G89.29	73721	Denied	Denied by Medical Director Review
M25.512	71260	Approved	Approved after Nurse Review
M25.561	73721	Approved	Approved
C25.0	74177	Approved	Approved after Medical Director Review
I25.2	78452	Approved	Approved
H57.12	70553	Approved	Approved after Nurse Review
G57.61	73718	Denied	Denied by Medical Director Review
M25.362	73721	Approved	Approved after Medical Director Review
R91.1	71260	Approved	Approved after Nurse Review
R05	70491	Denied	Denied by Medical Director Review
M25.579	73723	Denied	Denied by Medical Director Review
M54.2	72141	Denied	Denied by Medical Director Review
R05	71250	Approved	Approved
I20.9	78452	Approved	Approved after Nurse Review
R05	71260	Denied	Denied by Medical Director Review
M25.562	73721	Approved	Approved
I20.9	78452	Approved	Approved after Nurse Review
I20.0	78452	Approved	Approved after Medical Director Review
M47.22	72146	Approved	Approved after Medical Director Review
M47.22	72141	Approved	Approved after Medical Director Review
M75.101	73200	Approved	Approved

I34.0	93351	Denied	Denied by Medical Director Review
M16.11	27130	Approved	Approved after Nurse Review
R00.2	93351	Approved	
M47.816	64493	Approved	
M47.816	64494	Approved	
I49.9	78452	Approved	
R91.1	71250	Approved	
E31.21	74183	Approved	
J37.0	70486	Denied	Denied by Medical Director Review
S29.011A	71550	Approved	
M54.5	72148	Denied	Denied by Medical Director Review
H90.11	70480	Approved	
M45.0	72197	Denied	Denied by Medical Director Review
R07.1	78452	Approved	
K57.92	74177	Approved	
J32.9	70487	Denied	Denied by Medical Director Review
J32.9	70486	Approved	
H57.11	70543	Denied	Denied by Medical Director Review
M19.011	29826	Denied	Denied by Medical Director Review
R94.39	93351	Denied	Denied by Medical Director Review
M22.42	29880	Approved	
C54.1	74177	Approved	
K50.90	74177	Approved	
C64.9	71250	Approved	
K76.89	74183	Approved	
I10	74175	Approved	
R94.31	93351	Approved	
S53.491D	73221	Denied	Denied by Medical Director Review
M47.897	64495	Approved	
M54.5	72148	Approved	
R07.9	93458	Approved	
C58	74177	Approved	
M50.10	72141	Denied	Denied by Medical Director Review
I60.7	70496	Denied	Denied by Medical Director Review
M47.817	64493	Denied	Denied by Medical Director Review

J32.0	70486	Approved	
M25.551	73721	Denied	Denied by Medical Director Review
S83.512A	29888	Approved	
K76.89	74183	Approved	
R91.1	71260	Approved	
M16.12	73700	Approved	
G35	70553	Denied	Denied by Medical Director Review
R51	72141	Approved	
R10.32	74177	Approved	
R10.84	74176	Approved	
G35	70553	Approved	
G60.9	70551	Approved	
R06.09	93350	Approved	
M54.2	72141	Approved	
R16.0	74183	Approved	
N92.0	74176	Approved	
M75.42	73221	Denied	Denied by Medical Director Review
E23.7	70548	Approved	
C50.911	74177	Approved	
R51	70553	Denied	Denied by Medical Director Review
Z85.46	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
E10.65		Denied	BY MEDICAL DIRECTOR REVIEW
M81.0	J0897	Denied	BY MEDICAL DIRECTOR REVIEW
E10.65		Denied	BY MEDICAL DIRECTOR REVIEW
M25.50	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
M54.5	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
F90.0		Denied	BY MEDICAL DIRECTOR REVIEW
R68.89		Denied	BY MEDICAL DIRECTOR REVIEW
F90.2		Denied	BY MEDICAL DIRECTOR REVIEW
G24.9		Denied	BY MEDICAL DIRECTOR REVIEW
K50.80	J0717	Denied	BY MEDICAL DIRECTOR REVIEW
E11.9		Denied	BY MEDICAL DIRECTOR REVIEW
M17.0	J7328	Denied	BY MEDICAL DIRECTOR REVIEW
J45.21		Denied	BY MEDICAL DIRECTOR REVIEW
M05.79	J3590	Denied	BY MEDICAL DIRECTOR REVIEW
F90.1		Denied	BY MEDICAL DIRECTOR REVIEW
F90.9		Denied	BY MEDICAL DIRECTOR REVIEW
N52.9		Denied	BY MEDICAL DIRECTOR REVIEW
M81.0	J0897	Denied	BY MEDICAL DIRECTOR REVIEW
M54.30	J0585	Denied	BY MEDICAL DIRECTOR REVIEW
R51	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
R52	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
E78.0	C9399	Denied	BY MEDICAL DIRECTOR REVIEW

E11.9		Denied	BY MEDICAL DIRECTOR REVIEW
E11.9	J1815	Denied	BY MEDICAL DIRECTOR REVIEW
L40	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
M81.0	J0897	Denied	BY MEDICAL DIRECTOR REVIEW
M17.11	J7326	Denied	BY MEDICAL DIRECTOR REVIEW
L40.0	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
I48.0		Denied	BY MEDICAL DIRECTOR REVIEW
E11.65		Denied	BY MEDICAL DIRECTOR REVIEW
M17.12		Denied	BY MEDICAL DIRECTOR REVIEW
E11.8		Denied	BY MEDICAL DIRECTOR REVIEW
J45.40	J3590	Approved	
G71.0	J1428	Denied	BY MEDICAL DIRECTOR REVIEW
R51	J3490	Denied	BY MEDICAL DIRECTOR REVIEW
G43.719	J0585	Denied	BY MEDICAL DIRECTOR REVIEW
M47.816	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
E11.9	J1815	Denied	BY MEDICAL DIRECTOR REVIEW
M17.12		Denied	BY MEDICAL DIRECTOR REVIEW
G47.26		Denied	BY MEDICAL DIRECTOR REVIEW
F98.8		Denied	BY MEDICAL DIRECTOR REVIEW
E53.8	J3420	Denied	BY MEDICAL DIRECTOR REVIEW
E11.9		Denied	BY MEDICAL DIRECTOR REVIEW
R32		Denied	BY MEDICAL DIRECTOR REVIEW
O09.212	J1726	Denied	BY MEDICAL DIRECTOR REVIEW
I50.22		Denied	BY MEDICAL DIRECTOR REVIEW
E11.65	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
I47.1		Denied	BY MEDICAL DIRECTOR REVIEW
L57.0	J3490	Denied	BY MEDICAL DIRECTOR REVIEW
M05.79	J0717	Denied	BY MEDICAL DIRECTOR REVIEW
R32		Denied	BY MEDICAL DIRECTOR REVIEW
F17.210	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
E10.9	J1815	Denied	BY MEDICAL DIRECTOR REVIEW
N52.9		Denied	BY MEDICAL DIRECTOR REVIEW
K50.00	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
G43.711		Denied	BY MEDICAL DIRECTOR REVIEW
I10		Denied	BY MEDICAL DIRECTOR REVIEW
F41.1		Denied	BY MEDICAL DIRECTOR REVIEW
E78.5	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
R35.0		Denied	BY MEDICAL DIRECTOR REVIEW
R68.89		Denied	BY MEDICAL DIRECTOR REVIEW
E78.5	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
G47.11		Denied	BY MEDICAL DIRECTOR REVIEW
M79.1		Denied	BY MEDICAL DIRECTOR REVIEW
F90.9		Denied	BY MEDICAL DIRECTOR REVIEW
N52.9		Denied	BY MEDICAL DIRECTOR REVIEW
N32.81	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
G35	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
M06.09	J0717	Denied	BY MEDICAL DIRECTOR REVIEW

M25.50	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
N32.89		Denied	BY MEDICAL DIRECTOR REVIEW
F17.200	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
F52.21		Denied	BY MEDICAL DIRECTOR REVIEW
F90.0		Denied	BY MEDICAL DIRECTOR REVIEW
F17.200		Denied	BY MEDICAL DIRECTOR REVIEW
N52.9		Denied	BY MEDICAL DIRECTOR REVIEW
E29.1		Denied	BY MEDICAL DIRECTOR REVIEW
M54.5	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
E11.65		Denied	BY MEDICAL DIRECTOR REVIEW
B35.1		Denied	BY MEDICAL DIRECTOR REVIEW
G43.109		Denied	BY MEDICAL DIRECTOR REVIEW
R39.15	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
E11.65	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
E29.1	J3490	Denied	BY MEDICAL DIRECTOR REVIEW
E78.5	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
M17.11		Denied	BY MEDICAL DIRECTOR REVIEW
E11.65	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
R68.89	C9399	Denied	BY MEDICAL DIRECTOR REVIEW
N32.81	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
E11.9		Denied	BY MEDICAL DIRECTOR REVIEW
F90.0		Denied	BY MEDICAL DIRECTOR REVIEW
N52.9	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
J45.50	J2182	Denied	BY MEDICAL DIRECTOR REVIEW
E11.9	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
B02.29	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
J45.30	J3535	Denied	BY MEDICAL DIRECTOR REVIEW
F90.9		Denied	BY MEDICAL DIRECTOR REVIEW
I10		Denied	BY MEDICAL DIRECTOR REVIEW
F90.9		Denied	BY MEDICAL DIRECTOR REVIEW
J45.30	J3535	Denied	BY MEDICAL DIRECTOR REVIEW
K59.09		Denied	BY MEDICAL DIRECTOR REVIEW
E29.1	J0725	Denied	BY MEDICAL DIRECTOR REVIEW
M19.90		Denied	BY MEDICAL DIRECTOR REVIEW
E11.9	J8499	Denied	BY MEDICAL DIRECTOR REVIEW
M81.0	J0897	Denied	BY MEDICAL DIRECTOR REVIEW
N39.41		Denied	BY MEDICAL DIRECTOR REVIEW
J18.9		Approved	
I21.3		Approved	
I25.10		Approved	
R07.2		Approved	
E13.10		Approved	
I35.0	33405	Approved	
R06.89		Approved	
R69		Approved	
K11.20		Denied	Medical Director Decision
R41.82		Approved	

R40.4		Approved	
I25.119		Denied	Medical Director Decision
D12.2	44204	Approved	
I21.4		Approved	
I21.4	33512	Approved	
R07.9	99218	Approved	
K50.90	J1745	Approved	
E11.3513	J2778	Approved	
K92.2	99218	Approved	
I10	99218	Approved	
G04.90	99601	Approved	
R07.9	99218	Approved	
R73.9	99218	Approved	
I21.4	93458	Approved	
G47.33	95806	Approved	